

CERTIFICATE

Survey of 19 May 2023

You have fulfilled the requirements of the External Quality Assessment with the following analysis

Antiarrhythmics - Amiodaron (190):


Validity 12 months:

Amiodarone
Desethylamiodarone


(R) analysis is subject to the RiliBÄK

Participant:
42935
MUDr.,PhD. Tomas Salek
Krajska nemocnice T.Bata, a.s.
Department of Clinical Biochemistry &
Pharmacology
Havlickovo nabrezi 600
76275 Zlin

Düsseldorf, 15 June 2023



Prof. Dr. med. Michael Spannagl
(Head of Reference Institution)



Prof. Dr. med. Werner Steimer
(Adviser)

CERTIFICATE OF PARTICIPATION

Survey of 19 May 2023

You have participated in the External Quality Assessment with the following analysis


Antiarrhythmics - Amiodaron (190):

Amiodarone
Desethylamiodarone


(R) analysis is subject to the RiliBÄK

Participant:
42935
MUDr.,PhD. Tomas Salek
Krajska nemocnice T.Bata, a.s.
Department of Clinical Biochemistry &
Pharmacology
Havlickovo nabrezi 600
76275 Zlin

Düsseldorf, 15 June 2023



Prof. Dr. med. Michael Spannagl
(Head of Reference Institution)



Prof. Dr. med. Werner Steimer
(Adviser)